

03/31/00
JC685 U.S. PTO

04-03-00

A

Attorney Docket No.: PALM-2929

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Patent Application

I hereby certify that this transmittal of the below described documents is being deposited with the United States Postal Service in an envelope bearing Express Mail Postage and an Express Mail label, with the below serial number, addressed to the Commissioner of Patents and Trademarks, Washington, D.C., 20231, on the below date of deposit.			
Express Mail Label No.:	EJ256459265US	Name of Person Making the Deposit:	ANTHONY CHOU
Date of Deposit:	03/31/00	Signature of the Person Making the Deposit:	<i>Anthony Chou</i>

JC525 U.S. PTO
09/541378
03/31/00

Inventor(s): Greg Arnold

Title: SECURE SERVER-BASED IDENTIFICATION FOR SIMPLIFIED ONLINE TRANSACTION PROCESSING WITH PALM TOP COMPUTER

The Commissioner of Patents and Trademarks
Washington, D.C. 20231
Sir:

Transmittal of a Patent Application
(Under 37 CFR §1.53)

Transmitted herewith is the above identified patent application, including:

- ☒ Specification, claims and abstract, totaling 25 pages.
- ☐ Formal drawings, totaling pages.
- ☒ Informal drawings, totaling 8 pages.
- ☒ Declaration and Power of Attorney.
- ☐ Information Disclosure statement.
- ☐ Form 1449
- ☒ Assignment(s)
- ☒ Assignment Recordation Form (duplicate)
- ☐ Preliminary Amendment

FEES DUE

The fees due for filing the specification pursuant to 37 C.F.R. § 1.16 and for recording of the Assignment, if any, are determined as follows:

CLAIMS					
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEES
Basic Application Fee					\$690.00
Total Claims	20	Minus 20=	0	X \$18 =	\$0.00
Independent Claims	3	Minus 3=	0	X \$78=	\$0.00
If multiple dependent claims are presented, add \$260.00					\$0.00
Add Assignment Recording Fee of \$40.00 If Assignment document is enclosed					\$40.00
TOTAL APPLICATION FEE DUE					\$730.00

PAYMENT OF FEES

The full fee due in connection with this communication is provided as follows:

1. Not enclosed
 - ☐ No filing fee is to be paid at this time.
2. Enclosed
 - ☒ Filing fee
 - ☒ Recording assignment
 - ☐ Petition fee for filing by other than all the inventors or person on behalf of the inventor where inventor refused to sign or cannot be reached
 - ☐ For processing an application with specification in a non-English language
 - ☐ Processing and retention fee
 - ☐ Fee for international-type search report
 - ☒ The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: 23-0085. A duplicate copy of this authorization is enclosed.
 - ☒ A check in the amount of \$730.00
 - ☐ Charge any fees required or credit any overpayments associated with this filing to Deposit Account No.: 23-0085.

This application is filed pursuant to 37 C.F.R. § 1.53 in the name of the above-identified Inventor(s).


Please direct all correspondence concerning the above-identified application to the following address:

WAGNER, MURABITO & HAO LLP
Two North Market Street, Third Floor
San Jose, California 95113
(408) 938-9060

- ☒ This transmittal ends with this page.

Respectfully submitted,

Date: March 31, 2000

By: 
Anthony C. Murabito
Reg. No. 35,295

**SECURE SERVER-BASED IDENTIFICATION FOR
SIMPLIFIED ONLINE TRANSACTION PROCESSING
WITH PALMTOP COMPUTER**

5

FIELD OF THE INVENTION

10 The present invention relates to the field of transaction processing using a palmtop computer.

BACKGROUND

15

As the components required to build a computer system have reduced in size, new categories of computer systems have emerged. One of the new categories of computer systems is the "palmtop" computer system. A palmtop computer system is a computer that is small enough to be held in the hand of a user and can be "palm-sized." Most palmtop computer systems are used to
20 implement various Personal Information Management (PIM) applications such as an address book, a daily organizer and electronic notepads, to name a few.

Due to the small size of such palmtop computers, they are convenient to
25 carry in a pocket or purse. Unfortunately, they are also easily lost or stolen due to their small size. As such, it is generally undesirable to store sensitive information such as credit or debit card numbers in such a device. With the latest generation of palmtop computers, which include an internal RF transceiver, a user is able carry out many types of online transactions from almost anywhere.
30 Such transactions typically require the user to enter substantial amounts of

information such as name, address and credit card number. Unfortunately, the small size makes even the best data entry schemes somewhat tedious and error prone. Therefore, it would be useful to provide a way to utilize storage outside the palmtop computer to store sensitive information, while still permitting quick
5 access to that information to facilitate transaction processing.

SUMMARY OF THE INVENTION

10 Accordingly, what is needed is a method and apparatus for secure transaction processing which can be utilized with a palmtop computer, but which utilizes storage facilities of a remote server. A method and system are described for providing such method and apparatus.

15 In certain embodiments of the invention, a secure simplified transaction processing method and apparatus for a palmtop computer is disclosed. Sensitive personal information is stored in a secure personal information database. A site map database contains information which maps the fields of the personal information database to frames of a Web page. On request of a
20 palmtop computer, a robot program correlates the personal information fields with the frames of the Web page and sends the personal information back to the palmtop computer. The palmtop computer uses this information to automatically populate the frames of a Web clipping representing a Web page. This has the advantage that the user does not have to manually fill in the frames of the web
25 clipping while providing security for sensitive information.

In accordance with a method of certain embodiments of the invention, a method for providing transaction processing in a palmtop computer, is implemented by: providing a file server; providing a personal information
30 database, residing on the file server, containing personal information data

relating to a user of the palmtop computer; providing a site map database, residing on the file server, the site map database containing data which maps fields of the personal information database to frames of known Web clippings; receiving a request from a palmtop computer to populate frames of a selected
5 Web clipping; retrieving personal information data from the personal information database for fields mapped to the frame in the selected Web clipping in the site map database; and transmitting the retrieved personal information to the palmtop computer.

10 A method according to another embodiment of the present invention provides simplified transaction processing in a palmtop computer by: sending a request from the palmtop computer to a file server to obtain information to populate a plurality of frames of a selected Web clipping; receiving a transmission from the file server containing personal information data extracted
15 from a personal information database, the personal information database residing on the file server and containing personal information data relating to a user of the palmtop computer; wherein, the personal information being retrieved from fields in the personal information database have been mapped to frames in the selected Web clipping in the site map database.

20

A palmtop computer, in accordance with certain embodiments of the present invention has a radio frequency transmitter for sending a request from the palmtop computer to a file server to obtain information to populate a plurality

of frames of a selected Web clipping. A radio receiver receives a transmission from the file server containing personal information data extracted from a personal information database, the personal information database residing on the file server, and containing personal information data relating to a user of the
5 palmtop computer. A processor populates the frames of the selected Web clipping with the personal information data received.

BRIEF DESCRIPTION OF THE DRAWINGS

10

Figure 1 is system illustration of a palmtop computer system connected to other computer systems and the Internet via a cradle device.

15

Figure 2A is a top side perspective view of a palmtop computer system that can be used in the present invention.

Figure 2B is a bottom side perspective view of the palmtop computer system of Figure 2A.

20

Figure 3 is an exploded view of the components of the palmtop computer system of Figure 2A.

25

Figure 4 is a perspective view of a cradle device for connecting the palmtop computer system to other systems via a communication interface.

Figure 5 is a logical block diagram of the palmtop computer system in accordance with an embodiment of the present invention.

Figure 6 is a block diagram of the major components of a wireless network in accordance with an embodiment of the present invention.

Figure 7 is a diagram illustrating the information flow in an embodiment of
5 the present invention.

Figure 8 is a flow chart describing operation of the present invention in certain embodiments.

10

DETAILED DESCRIPTION OF THE INVENTION

In the following detailed description of the present invention, a secure transaction processing arrangement for use with a palmtop computer, numerous
15 specific details are set forth in order to provide a thorough understanding of the present invention. However, it will be recognized by one skilled in the art that the present invention may be practiced without these specific details or with equivalents thereof. In other instances, well known methods, procedures, components, and circuits have not been described in detail as not to
20 unnecessarily obscure aspects of the present invention.

NOTATION AND NOMENCLATURE

Some portions of the detailed descriptions that follow are presented in
25 terms of procedures, steps, logic blocks, processing, and other symbolic representations of operations on data bits that can be performed in computer memory. These descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. A procedure, computer executed step, logic
30 block, process, etc., is here, and generally, conceived to be a self-consistent sequence of steps or instructions leading to a desired result. The steps are

those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated in a computer system. It has proven convenient at times, principally
5 for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like.

It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely
10 convenient labels applied to these quantities. Unless specifically stated otherwise, as apparent from the following discussions, it is appreciated that throughout the present invention, discussions utilizing terms such as "processing" or "computing" or "translating" or "calculating" or "determining" or "scrolling" or "displaying" or "recognizing" or the like, refer to the action and
15 processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

20

For clarity, the term "field" as used herein with reference to a field in a database is intended to have the conventionally accepted meaning in the database arts. The term "frame", as used herein, is intended to embrace
25 database fields as represented by data entry boxes in a Web page form or a Web clipping form.

**SECURE SERVER-BASED IDENTIFICATION FOR SIMPLIFIED ONLINE
TRANSACTION PROCESSING WITH PALMTOP COMPUTER IN
ACCORDANCE WITH THE PRESENT INVENTION**

5 While this invention is susceptible of embodiment in many different forms,
there is shown in the drawings and will herein be described in detail, specific
embodiments, with the understanding that the present disclosure is to be
considered as an example of the principles of the invention and not intended to
limit the invention to the specific embodiments shown and described. In the
10 description below, like reference numerals are used to describe the same, similar
or corresponding parts in the several views of the drawing.

 Figure 1 illustrates a system 50 that can be used in conjunction with the
secure transaction system and method of the present invention. System 50
15 comprises a host computer system 56 which can either be a desktop unit as
shown, or, alternatively, can be a laptop or notebook computer system 58.
Optionally, one or more host computer systems can be used within system 50.
Host computer systems 58 and 56 are shown connected to a communication bus
54, which in one embodiment can be a serial communication bus, but could be of
20 any of a number of well known designs, e.g., a parallel bus, Ethernet Local Area
Network (LAN), etc. Optionally, bus 54 can provide communication with the
Internet 52 using a number of well known protocols.

 Bus 54 is also coupled to a cradle 60 for receiving and initiating
25 communication with a palmtop ("palm-sized") portable computer system 100 of
the present invention. Cradle 60 provides an electrical and mechanical
communication interface between bus 54 (and anything coupled to bus 54) and
the computer system 100 for two-way communications. Computer system 100
may contain a wireless infrared communication mechanism 64 for sending and
30 receiving information to and from other devices.

Figure 2A is a perspective illustration of the top face 100a of one embodiment of the palmtop computer system of the present invention. The top face 100a contains a display screen 105 surrounded by a bezel or cover. A removable stylus 80 is also shown. The display screen 105 is a touch screen able to register contact between the screen and the tip of the stylus 80. The stylus 80 can be of any material to make contact with the screen 105. The top face 100a also contains one or more dedicated and/or programmable buttons 75 for selecting information and causing the computer system to implement functions. The on/off button 95 is also shown.

Figure 2A also illustrates a handwriting recognition pad or "digitizer" containing two regions 106a and 106b. Region 106a is for the drawing of alphabetic characters therein for automatic recognition and region 106b is for the drawing of numeric characters therein for automatic recognition.

The stylus 80 is used for stroking a character within one of the regions 106a and 106b. The stroke information is then fed to an internal processor for automatic character recognition. Once characters are recognized, they are typically displayed on the screen 105 for verification and/or modification.

Figure 2B illustrates the bottom side 100b of one embodiment of the palmtop computer system of the present invention. An extendible antenna 85 is shown and also a battery storage compartment door 90 is shown. A communication interface 108 is also shown. In one embodiment of the present invention, the serial communication interface 108 is a serial communication port, but could also alternatively be of any of a number of well known communication standards and protocols, e.g., parallel, SCSI, Firewire (IEEE 1394), Ethernet, etc.

Figure 3 is an exploded view of the palmtop computer system 100 in accordance with one implementation. System 100 contains a front cover 210 having an outline of region 106 and holes 75a for receiving buttons 75b. A flat

5

10

15

25

30

address/data bus 110 for communicating information, a central processor 101 coupled with the bus for processing information and instructions, a volatile memory 102 (e.g., random access memory RAM) coupled with the bus 100 for storing information and instructions for the central processor 101 and a non-
5 volatile memory 103 (e.g., read only memory ROM) coupled with the bus 110 for storing static information and instructions for the processor 101. Computer system 100 also includes an optional data storage device 104 (e.g., memory stick) coupled with the bus 110 for storing information and instructions. Device 104 can be removable. As described above, system 100 also contains a display
10 device 105 coupled to the bus 110 for displaying information to the computer user. PC board 225 can contain the processor 101, the bus 110, the ROM 103 and the RAM 102.

Also included in computer system 100 of Figure 5 is an optional
15 alphanumeric input device 106 which in one implementation is a handwriting recognition pad ("digitizer") having regions 106a and 106b (Figure 2A), for instance. Device 106 can communicate information and command selections to the central processor 101. System 100 also includes an optional cursor control or directing device 107 coupled to the bus for communicating user input
20 information and command selections to the central processor 101. In one implementation, device 107 is a touch screen device incorporated with screen 105. Device 107 is capable of registering a position on the screen 105 where the stylus makes contact. The display device 105 utilized with the computer system 100 may be a liquid crystal device, cathode ray tube (CRT), field
25 emission device (FED, also called flat panel CRT) or other display device suitable for creating graphic images and alphanumeric characters recognizable to the user. In the preferred embodiment, display 105 is a flat panel display.

Signal communication device (I/O device) 108, also coupled to bus 110,
30 can be a serial port for communicating with the cradle 60. Device 108 can also include an infrared communication port. As shown, the device 108 is coupled to

Referring now to Fig. 6, the Palmtop Computer 100 is shown as it interacts with a wireless data network. In this figure, Palmtop Computer 100 communicates via its antenna 85 with one of a plurality of base stations 300. Each of the base stations 300 is in turn connected to a wireless data network such as those used for cellular telecommunications. The wireless data network 310 is in turn coupled to a data center 320. In addition, data center 300 is connected to the Internet 52 which places all of the capabilities of the Internet and the World Wide Web at the disposal of the data center 320.

20

30

query is then submitted to the data center 320 through the wireless data network 310 in the form of a very small message (typically less than 50 bytes). The data center 320 serves as an interface to the Internet 52 which pulls the desired information from the Internet and returns a response via wireless data network 310 to the Palmtop Computer 100 in a response which is typically less than 500 bytes (compressed). As a result, the user is able to obtain the information desired from a particular Web page without having to actually browse the Internet and display Web pages on the limited resolution display of the Palmtop Computer 100. Web clipping is described in greater detail in U.S. patent application serial number 09/087,515 Filed May 29, 1998 entitled "Method and Apparatus for Communicating Information Over Low Bandwidth Communications Network", naming Hawkins et al. This application is hereby incorporated by reference.

15 This approach has the benefits of providing near instant access to the Internet while simultaneously providing low cost of service by controlling the airtime usage. This in turn results in long battery life since transmissions from Palmtop Computer 100 may be a substantial drain on batteries.

20 The Web clipping proxy server 324 is responsible for converting standard Internet protocols and content from a Web page into a form that is tuned for transmission across a wireless network and for display on a very thin client device such as Palmtop Computer 100. The Web clipping proxy server 324 uses standard Internet and security protocols (TCP, HTTP and SSL) to HTML servers to insure compatibility. However, on the wireless side, it adjusts everything to support extremely low bandwidth and latency. Moreover, the Web clipping proxy server 324 compresses the data from the Internet to insure maximum transmission efficiency in the wireless environment. Data center 320 having Web clipping proxy server 324 is currently implemented for the commercially available Palm VII wireless palmtop computer system as a service called Palm.net™

30 operated by Palm Computing, Inc.

In accordance with the present intention, data center 320 also includes a software robot 330, which is able to receive and send HTML code. This robot 330 interfaces with a site map database 340 and a personal information database 350. Site map database 340 and personal information database 350 both also reside within data center 320. While not explicitly illustrated in Fig. 6, data center 320 is preferably a "secure" data center in that it is protected by fire wall and encryption technologies to assure the security of the information stored in the data center. For purposes of this document, the term "secure" is intended to embrace any security measures such as fire walls, encryption and authentication technologies as well as physical barriers (locked doors, etc.) to provide for security of the server and/or the data center.

In accordance with the present invention, the personal information database 350 is stored within a secure server in secure data center 320 so that the user of Palmtop Computer 100 can reliably store sensitive information in the personal information database 350. In general, it might be undesirable to store such confidential information within Palmtop Computer 100 due to the ease of loss of small hand held devices, or the possibility of theft of the device or the information stored therein. Accordingly, it is advantageous to provide a convenient way for the user to obtain access to this information in electronic form, for example for completing information used in on-line transactions or for otherwise providing responses without having to manually enter data on the Palmtop Computer 100, but in a manner which assures high levels of security.

25

Table 1 below shows a simplified example of the type of information which might be stored in a personal information database 350. Because of the nature of the use of this database, the database 350 may contain a very substantial amount of information which will be mapped to particular Web pages as will be described later. However, for purposes of illustration, only a brief amount of information is shown in Table 1 as illustrative of that which would appear in the

30

personal information database. In this case, the database includes fields such as "First Name", Last Name", "Email Address" and "Credit Card Number". In addition, variations of the data may appear in the personal information database. For example, it may also be advantageous to have a field which is the

5 combination of the "First + Last Name" as shown in Table 1. Other example types of information which might be stored in the personal information database include age, shipping address, post office address, city, state, country, telephone number, fax number, marital status, sex, citizenship, political party, etc. An identification field ("Customer ID") is provided to uniquely identify each user
10 associated with each Palmtop computer with personal information stored in the personal information database.

PERSONAL INFORMATION DATABASE	
FIELD	DATA
Customer ID	ASDFGHJKL-9876543210
First Name	William
Last Name	Smith
First + Last Name	William Smith
Email Address	ws@123.net
...	...
...	...
...	...
Credit Card Number	123456789

TABLE 1

15

Once the information is stored by the user in the personal information database 350, this information can be advantageously utilized to simplify the filling out of data forms and the like which a user often encounters in carrying out
20 on-line transactions on the Internet. By way of example, and not by way of limitation, consider the fictitious example shown in Fig. 7. In this example, a Web clipping for a fictitious Web site shown as xyznews.com/orderfrm/ is shown. This Web clipping 370 may represent, for example, a Web clipping which permits a user to subscribe to a news service called xyznews. In order to complete the

subscription, the user must submit certain personal information to the Web site, which includes identifying information as well as payment information such as a credit card number. Four such pieces of information are shown in Fig. 7 for Web clipping 370 but of course this is not to be limiting since this is simply illustrative.

5

When a user decides that he or she wishes to subscribe to this service, the procedure would normally be to enter data into each of the frames 370A, 370B, 370C, 370D. The user would then submit this information and be registered to the subscription desired. In accordance with the present invention,
10 the tedium associated with entry of this data is minimized by virtue of the user taking a control action to automate the process. The control action may be implemented, for example, by a pull-down menu or a specified sequence of strokes on the input device of the Palmtop Computer 100. In any event, a transmission occurs between the Palmtop Computer 100 and the data center 320
15 requesting that the data center 320 automatically populate the frames of the Web clipping.

When the data center 320 receives this request, robot 320 retrieves personal information from personal information database 350 in order to
20 accomplish this task. Robot 320 also retrieves information from site map database 340 to determine exactly how to populate frames 370A through 370D of Web clipping 370.

In order to see how robot 330 accomplishes this task, it is instructive to
25 consider sample HTML code which might be used to create Web clipping 370 as well as to view an example of the Site map database 340. Referring to Table 2, a sample of the HTML script which might be used to represent the Web clipping 370 as originally written for an Internet Web page is shown.

```
...  
<HTML>  
...  
...  
...  
<FORM METHOD=post ACTION='/cgi-bin/custdata.pl'>  
<BR>First Name <INPUT TYPE="text" NAME="first" SIZE="15" MAXLENGTH="25"  
<BR>Last Name <INPUT TYPE="text" NAME="last" SIZE="15" MAXLENGTH="25"  
<BR>Email Address <INPUT TYPE="text" NAME="email" SIZE="15" MAXLENGTH="35"  
...  
...  
<BR>Credit Card # <INPUT TYPE="text" NAME="cardnum" SIZE="15" MAXLENGTH="15"  
</FORM>  
...  
</HTML>
```

TABLE 2

5

From this code, it can be determined that the information submitted upon completion of the frames of the Web clipping will ultimately be stored in a file entitled custdata.pl. It can also be determined that frame 370A representing the users first name uses the variable name "first". Similarly, the last name, E-mail address and credit card number frames 370B, 370C and 370D use variable names "last", "email" and "cardnum", respectively.

10

Referring now to Table 3, an illustration of the Site map database is shown. Site map database 340 is a database, which maps the fields of the personal information database to data entry frames in various Web clippings (representing Web sites). In the simplified example shown in Table 3, for example, two data mappings are illustrated. For xyznews, the personal information database field named "First Name" is mapped to a field named "first" in the site map database. Similarly, personal information field "Last Name" is mapped to "last" in the site map database, "Email Address" is mapped to "email" and "Credit Card Number" is mapped to "cardnum".

15

20

Other types of information may also be mapped in the site map database for each of numerous Web clippings. For example, the second illustration for a type of survey data may request age and birth date information from the personal information database which is mapped to fields called "age" and "dateofbirth" in the survey data. Thus, when Palmtop Computer 100 submits a request to populate the frames of a Web clipping such as 370, robot 330 correlates the data fields of the Web clipping 370 with data fields in the personal information database and returns the data to populate fields 370A, 370B, 370C through 370D in frame 370. The user may then submit the data by tapping the submit icon 372 for example to complete the on-line transaction.

SITE MAP DATABASE		
PIDB Field	XYZNEWS.COM/ORDERFRM/	XXXX.COM/SURVEYDATA/
First Name	first	
Last Name	last	
First + Last Name		surveyed_name
...
Email Address	email	emailaddress
...
Age		age
Birth Date		dateofbirth
...
Credit Card Number	cardnum	

TABLE 3

Those skilled in the art will appreciate that authentication functions and encryption functions should also be incorporated in the various transmissions associated with the present invention in order to maintain the security of personal information.

Referring now to Fig. 8, the process previously described is summarized in the form of a flow chart. At 400 the Palmtop Computer 100 presents a Web clipping containing frames which are to be filled to complete a transaction. At

404, the user can instruct the Palmtop Computer 100 to implement a process of populating the frames. If no such instruction is given or if the user takes other action the process stops at 408. If, at 404, the Palmtop Computer 100 is instructed to populate the frames, control passes to 412 where the Palmtop
5 Computer 100 transmits a request to the data center 320 to assist in populating the frames. In general, such a request may include a user identification (e.g. user ID and password) used for authentication in the authentication server 322 as well as an Internet address for the page to be populated. If the data center's authentication server fails to authenticate the user at 416, the process again
10 stops at 408. If the user is authenticated at 416, robot program 330 identifies the Web clipping frames from the site map database and pulls personal information from the personal information database which is needed to populate those Web clipping frames at 420. Data center 320 then transmits the personal information back to the Palmtop Computer 100 at 424 in encrypted or enciphered form.

15

At 430, Palmtop Computer 100 receives the transmission and populates the Web clipping frames with the personal information transmitted from the data center 320. At 434, the user has the option of completing the transaction or aborting. If the user chooses to abort control passes again to 408 which
20 terminates the process. If, however, the user chooses to complete the transaction at 434, Palmtop Computer 100 transmits the populated frame to complete the transaction at 438. Again, since the transmission includes sensitive personal information, the transmission should be enciphered or encrypted to protect the security of the information. Once this transmission has occurred, the
25 data center sends the information along to the Internet Web page to complete the transaction.

Those skilled in the art will recognize that various protocols can be used to utilized to effect the above transmissions. Moreover, there are many possible
30 implementation details which have not been described herein but would be within the skill of those of ordinary skill in the art. For example, while the invention has

been described in terms of transmitting a Web clipping or Web page address from the Palmtop Computer 100 to the data center, the Palmtop Computer 100 could also simply transmit the names of each of the frames to be populated or the variables which are required. The data center, could track the activity of the

5 Palmtop Computer 100 to know which Web clipping and Web page this data correlates to. Also, in a slight variation of the present invention, when the user requests that the data center provide information to populate a Web page, the data center may simply populate the page and forward it to the appropriate address on the Internet without further interaction of the Palmtop Computer 100.
10 Additionally, although the preferred embodiment is used to populate a Web clipping as described herein, this invention can be used to automatically populate any form such as an HTML or XML form without departing from the present invention. These and other variations will occur to those of ordinary skill in the art upon consideration of the proceeding discussion.

15

Those skilled in the art will recognize that the present invention has been described in terms of exemplary embodiments based upon use of a programmed processor. However, the invention should not be so limited, since the present invention could be implemented using hardware component equivalents such as
20 special purpose hardware and/or dedicated processors which are equivalents to the invention as described and claimed. Similarly, general purpose computers, microprocessor based computers, micro-controllers, optical computers, analog computers, dedicated processors and/or dedicated hard wired logic may be used to construct alternative equivalent embodiments of the present invention.

25

While the invention has been described in conjunction with specific embodiments, it is evident that many alternatives, modifications, permutations and variations will become apparent to those skilled in the art in light of the foregoing description. Accordingly, it is intended that the present invention
30 embrace all such alternatives, modifications and variations as fall within the scope of the appended claims.

CLAIMS

What is claimed is:

5

1. A method for providing transaction processing in a palmtop computer, comprising:

providing a file server;

providing a personal information database, residing on the file server,

10 containing personal information data relating to a user of the palmtop computer;

providing a site map database, residing on the file server, the site map database containing data which maps fields of the personal information database to frames of known Web clippings;

15 receiving a request from a palmtop computer to populate frames of a selected Web clipping;

retrieving personal information data from the personal information database for fields mapped to the frame in the selected Web clipping in the site map database; and

transmitting the retrieved personal information to the palmtop computer.

20

2. The method of claim 1, further comprising populating the frames of the selected Web clipping in the palmtop computer.

00750" 82E4560

3. The method of claim 2, further comprising transmitting the populated frame from the palmtop computer to a Web site.

4. The method of claim 1, wherein providing the site map includes scraping a
5 Web site to harvest frames to be populated.

5. The method of claim 1, wherein the personal information database is manually populated with data by the user.

10 6. The method of claim 1, wherein the server comprises a secure server.

7. The method of claim 1, wherein the Web clipping correlates to a Web page on the World Wide Web.

15 8. The method of claim 1, further comprising mapping the palmtop computer to a user in the personal information database.

9. The method of claim 1, wherein the receiving and transmitting are carried out over a wireless data communication network.

20

5 sending a request from the palmtop computer to a file server to obtain
information to populate a plurality of frames of a selected Web clipping;
receiving a transmission from the file server containing personal
information data extracted from a personal information database, the personal
information database residing on the file server, and containing personal
information data relating to a user of the palmtop computer;
10 wherein, the personal information being retrieved from fields in the
personal information database which have been mapped to frames in the
selected Web clipping in the site map database.

12. The method of claim 11, further comprising populating the frames of the selected Web clipping in the palmtop computer.

PALM-2929 US P

14. The method of claim 13, wherein the populated frames of the selected Web clipping are transferred to the Web site through a data center which translates between Web clippings and Web pages.

5 15. The method of claim 10, wherein the sending and receiving are carried out over a wireless data communication network.

16. A palmtop computer, comprising:

10 a radio frequency transmitter for sending a request from the palmtop computer to a file server to obtain information to populate a plurality of frames of a selected Web clipping;

a radio receiver for receiving a transmission from the file server containing personal information data extracted from a personal information database, the personal information database residing on the file server, and containing
15 personal information data relating to a user of the palmtop computer; and

a processor which populates the frames of the selected Web clipping with the personal information data received.

17. The palmtop computer of claim 16, wherein the request comprises a label
20 for a Web clipping containing the frames to be populated.

18. The palmtop computer of claim 16, wherein the file server comprises a secure file server.

5 20. The palmtop computer of claim 19, wherein the populated Web clipping is conveyed to the Web site through a data center containing the secure file server.

SECURE SERVER-BASED IDENTIFICATION FOR SIMPLIFIED ONLINE TRANSACTION PROCESSING WITH PALMTOP COMPUTER

ABSTRACT OF THE INVENTION

5

10 A secure simplified transaction processing method and apparatus for a
palmtop computer. Sensitive personal information is stored in a secure personal
information database. A site map database contains information which maps the
fields of the personal information database to frames of a Web page. On request
of a palmtop computer, a robot program correlates the personal information fields
with the frames of the Web page and sends the personal information back to the
palmtop computer. The palmtop computer uses this information to automatically
populate the frames of a Web clipping representing a Web page. This has the
advantage that the user does not have to manually fill in the frames of the web
15 clipping while providing security for sensitive information.

20

007660" B2E450

50




FIG. 1

001660" 09450

100a




FIG. 2A

FIG. 2B




FIG. 3




FIG. 4




FIG. 5




FIG. 6

370

TO COMPLETE THIS TRANSACTION, PROVIDE THE FOLLOWING INFORMATION:

FIRST NAME 370A

LAST NAME 370B

EMAIL ADDRESS 370C

CREDIT CARD # 370D

372

XYZNEWS.COM/ORDERFORM/

HTML

TO COMPLETE THIS TRANSACTION, PROVIDE THE FOLLOWING INFORMATION:

FIRST NAME 370A WILLIAM

LAST NAME 370B SMITH

EMAIL ADDRESS 370C W5@123.NET

CREDIT CARD # 370D 1234-56789

372

XYZNEWS.COM/ORDERFORM/

HTML




FIG. 7

```

graph TD
    400[400 PALMTOP PRESENTS WEB CLIPPING OF FRAMES REQUIRED TO COMPLETE A TRANSACTION] --> 404{404 PALMTOP INSTRUCTED TO POPULATE FRAMES?}
    404 -- NO --> 408a((408 STOP))
    404 -- YES --> 412[412 PALMTOP TRANSMITS REQUEST TO DATA CENTER WITH PAGE ADDRESS AND ID]
    412 --> 416{416 DATA CENTER AUTHENTICATES?}
    416 -- NO --> 408b((408 STOP))
    416 -- YES --> 420[420 ROBOT PROGRAM IDENTIFIES WEB CLIPPING FRAMES FROM SITE MAP DATABASE AND PULLS PERSONAL INFORMATION FROM PERSONAL INFORMATION DATABASE]
    420 --> 424[424 DATA CENTER TRANSMITS PERSONAL INFORMATION BACK TO PALMTOP]
    424 --> 430[430 PALMTOP POPULATES WEB CLIPPING FRAMES WITH PERSONAL INFORMATION]
    430 --> 434{434 PALMTOP INSTRUCTED TO COMPLETE TRANSACTION BY USER?}
    434 -- NO --> 408c((408 STOP))
    434 -- YES --> 438[438 PALMTOP TRANSMITS POPULATED FRAMES TO COMPLETE TRANSACTION]
  
```

Fig. 8

Declaration and Power of Attorney for a Patent Application

Declaration

As below named inventor, I hereby declare that my residence post office address, and citizenship are as stated below my name. Further, I hereby declare that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SECURE SERVER-BASED IDENTIFICATION FOR SIMPLIFIED ONLINE TRANSACTION PROCESSING WITH
PALMTOP COMPUTER

the specification of which:

☒ is attached hereto, or
..... was filed on as application serial no. : and
..... was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above; and

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

Foreign Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Number	Country	Date Filed	Priority Claimed
..... yes no
..... yes no

U.S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status (patented/pending/abandoned)
.....
.....

Power of Attorney

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent Trademark Office connected therewith.

James P. Hao	Registration No.: 36,398
Anthony C. Murabito	Registration No.: 35,295
John P. Wagner	Registration No.: 35,398
Glenn D. Barnes	Registration No.: 42,293
Thomas M. Catale	Registration No.: P-46,434
Jose S. Garcia	Registration No.: 43,628
Kenneth N. Glass	Registration No.: 42,587
Wilfred H. Lam	Registration No.: 41,923
Patrick W. Ma	Registration No.: 44,215
Christopher R. Novak	Registration No.: 42,041
Ronald M. Pomeranke	Registration No.: 43,009
William A. Zarbis	Registration No.: P-46,120


Send Correspondence to:

WAGNER, MURABITO & HAO LLP
Two North Market Street
Third Floor
San Jose, California 95113
(408) 938-9060

Signatures

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor: Greg Arnold

Inventor's Signature x  Date x 3/30/2000

Residence Sunnyvale, California Citizenship USA
(City State)

P.O. Address 1086 Harper Avenue, Sunnyvale, California 94087

007660" B&E F4560